

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Monday, June 11, 2007

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L40	L39 not l38	43
<input type="checkbox"/>	L39	L36 and quer\$ same (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1 or transport\$1)	73
<input type="checkbox"/>	L38	L37 not l31	30
<input type="checkbox"/>	L37	L36 and quer\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1 or transport\$1)	47
<input type="checkbox"/>	L36	L35 and (re-establish\$ or reestablish\$)	106
<input type="checkbox"/>	L35	L34 and select\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1)	529
<input type="checkbox"/>	L34	L32 and detect\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1)	892
<input type="checkbox"/>	L33	L32 and detect\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1)	892
<input type="checkbox"/>	L32	((common or standard\$ or default) near2 (RPC\$1 or protocol\$1 or link\$ or communication\$1 ot transport\$)) and (RPC\$1 or RMI\$1)	3494
	<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L31	L28 and detect\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connect\$ion\$1)	39
<input type="checkbox"/>	L30	L28 and detect\$	87
<input type="checkbox"/>	L29	L28 and (deterioration or corrosion)	0
<input type="checkbox"/>	L28	L27 and (protocol\$1 or multi-protocol\$1)	93
<input type="checkbox"/>	L27	L26 and select\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connect\$ion\$1)	93
<input type="checkbox"/>	L26	L25 and (re-establish\$ or reestablish\$) with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connect\$ion\$1)	146
<input type="checkbox"/>	L25	L18 and (common or standard\$ or default) near2 (RPC\$1 or protocol\$1)	1410
<input type="checkbox"/>	L24	L23 and (common or standard\$ or default) near2 (RPC\$1 or protocol\$1)	0
<input type="checkbox"/>	L23	L20 and (deterioration or corrosion)	0
<input type="checkbox"/>	L22	L20 and (re-establish\$ or reestablish\$)	0
<input type="checkbox"/>	L21	L20 and (re-establish\$ or reestablish\$) with (protocol\$1 or RPC\$1)	0
<input type="checkbox"/>	L20	L18 and (default adj (protocol\$1 or RPC\$1))	51
<input type="checkbox"/>	L19	L18 and (default adj RPC\$1)	2
<input type="checkbox"/>	L18	L17 and ((remote adj3 call\$1) or RPC\$1 or RMI\$1)	5119
<input type="checkbox"/>	L17	719/\$.ccls or 709/\$.ccls. or 718/\$.ccls. or 707/\$.ccls.	98759
<input type="checkbox"/>	L16	L15 not l14	1
<input type="checkbox"/>	L15	L12 and (default adj RPC\$1)	2
<input type="checkbox"/>	L14	L13 and (re-establish\$ or reestablish\$) with (default adj RPC\$1)	1
<input type="checkbox"/>	L13	L12 and (re-establish\$ or reestablish\$)	147
<input type="checkbox"/>	L12	L9 and (common or standard\$ or default) near2 (RPC\$1 or protocol\$1)	985
<input type="checkbox"/>	L11	L10 not l5	6
<input type="checkbox"/>	L10	L9 and default adj (RPC\$1 or call\$1 or RMI\$1)	7
<input type="checkbox"/>	L9	L8 and ((remote adj3 call\$1) or RPC\$1 or RMI\$1)	3090

<input type="checkbox"/>	L8	L7 or 16	34773
<input type="checkbox"/>	L7	(709/201,203,217,218,219,223,226,227,228,229,230)![CCLS]	30796
<input type="checkbox"/>	L6	(719/310,311,312,313,315,316,320,328,329,330)![CCLS]	5020
<input type="checkbox"/>	L5	(((remote adj procedure adj call\$1) or RPC\$) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$)).clm.	1
<input type="checkbox"/>	L4	(((remote adj procedure adj call\$1) or RPC\$) and (multi-protocol\$1 or (multi adj protocol\$1)) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$)).clm.	1.
<input type="checkbox"/>	L3	(((remote adj procedure adj call\$1) or RPC\$) and (multi-protocol\$1 or (multi adj protocol\$1)) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$) and detect\$ and deterioration\$1).clm.	1
<i>DB=PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR</i>			
<input type="checkbox"/>	L2	(((remote adj procedure adj call\$1) or RPC\$) and (multi-protocol\$1 or (multi adj protocol\$1)) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$) and detect\$ and deterioration\$1).clm.	1
<input type="checkbox"/>	L1	20030140180	1

END OF SEARCH HISTORY

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 7 of 7 for **RPC and multi-protocol and "default RPC "**. (0.35 seconds)

Tip: Try removing quotes from your search to get more results.

Multi-protocol object distribution - Patent 20030140180

Importantly, the meta-stub can automatically select the **default RPC** transport stub by default. Representative Image: **Multi-protocol object distribution ...**
www.freepatentsonline.com/20030140180.html - 33k - [Cached](#) - [Similar pages](#)

kbAlertz!

Q138793 **Multi-Protocol Router Installation and Configuration (Q138793)**
 Q142041 How to Set Up a **Default RPC** Name Server ...
www.kbalertz.com/allKbs.aspx?tec=242 - 402k - [Cached](#) - [Similar pages](#)

Microsoft Security Bulletin Summary for May 2007

An exploit has surfaced that allows remote attackers to execute arbitrary commands with super-user privileges against Solaris hosts running the **default RPC ...**
cert.pionier.gov.pl/news/annall.htm - 408k - [Cached](#) - [Similar pages](#)

Configuration: myzone

/etc/**default/rpc.nisd** /etc/default/su /etc/default/sys-suspend Contents of file: /etc/**default/rpc.nisd** Ignore blank lines and lines starting with ...
www.openeyet.nl/scc/examples/scc.myzone.html - 564k - [Cached](#) - [Similar pages](#)

From erxatech@inrete.it Thu Aug 1 02:50:25 1996 From: erxatech ...

The timeout value we set in **RPC** func "clnt_call" did not work. We got around this by changing the **default RPC** timeout by calling func "clnt_control" and ...
csg.lbl.gov/vxworks/vxwexplo/1996/archive9608 - 335k - [Cached](#) - [Similar pages](#)

[PDF] INTERNATIONAL STANDARD ISO/IEC 13818-6

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Preferred and **Default RPC** DSM-CC **Multi-protocol** Encapsulation In the absence of prior arrangement, the **default RPC** between two DSM-CC ...
domino.iec.ch/preview/info_isoiec13818-6%7Bed1.0%7Den.pdf - [Similar pages](#)

[PDF] Managing NFS and NIS

File Format: PDF/Adobe Acrobat
 Appliance ("**Multiprotocol** Data Access: NFS, CIFS, and HTTP," TR3014,
 Under the **default RPC** security mechanism, AUTH_SYS, every NFS request, including ...
www.hackemate.com.ar/.../O'Reilly%20books/O'Reilly%20-%20Managing%20NFS%20and%20NIS%202nd%20Edt.pdf - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed. If you like, you can [repeat the search with the omitted results included](#).

Try [Google Desktop](#): search your computer as easily as you search the web.

RPC and multi-protocol and "default

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 11,000 for **RPC and "default RPC"**. (0.28 seconds)[Disabling RPC hoses my Sol 10 host](#)

svc:/network/rpc/bind:default (RPC bindings) State: disabled since Tue May 22

14:32:24 2007 Reason: Disabled by an administrator. ...

[forum.java.sun.com/thread.jspa?threadID=5175405&tstart=0](#) - 35k -[Cached](#) - [Similar pages](#)[/milestone/multi-user not starting after disabling /network/rpc/bind](#)

svc:/network/rpc/bind:default (RPC bindings) Estado: disabled desde Mon Mar 19

16:59:29 2007 Motivo: Un administrador lo ha inhabilitado. ...

[forum.java.sun.com/thread.jspa?threadID=5150651&tstart=0](#) - 32k -[Cached](#) - [Similar pages](#)[\[More results from forum.java.sun.com \]](#)[How to Disable DCOM Support in RPC over HTTP](#)

By default, RPC over HTTP support is not installed when you install Windows Server 2003, but you can enable it by...

[support.microsoft.com/kb/826382](#) - [Similar pages](#)[How to configure RPC to use certain ports and how to help secure ...](#)

By default, RPC uses ports in the ephemeral port range (1024-5000) when it ... By

default, RPC dynamically allocates ports in the range of 1024 to 5000 for ...

[support.microsoft.com/kb/908472](#) - [Similar pages](#)[\[More results from support.microsoft.com \]](#)[\[smf-discuss\] What enables rpc/meta? \(was Re: optional_all ...](#)

svcs -xv >>> svc:/network/rpc/bind:default (RPC bindings) >>> State: disabled since

Fri Sep 15 12:42:02 2006 >>> Reason: Disabled by an administrator. ...

[mail.opensolaris.org/pipermail/smf-discuss/2006-September/002820.html](#) - 9k -[Cached](#) - [Similar pages](#)[OpenSolaris Forums: unable to bring up nfs server on ...](#)

svc:/network/rpc/keyerv:default (RPC encryption key storage) State: disabled since

Tue May 15 14:28:15 2007 Reason: Disabled by an administrator. ...

[www.opensolaris.org/jive/thread.jspa?messageID=119859](#) - 32k -[Cached](#) - [Similar pages](#)[rpc.statd\(8\): NSM status monitor - Linux man page](#)

By default, rpc.statd will call gethostname(2) to get the local hostname. Specifying a local hostname may be useful for machines with more than one ...

[www.die.net/doc/linux/man/man8/rpc.statd.8.html](#) - 10k - [Cached](#) - [Similar pages](#)[docs.sun.com: man pages section 1M: System Administration Commands](#)See [rpc.nisd_resolv\(1M\)](#) for more information on using [rpc.nisd_resolv](#) independently. The [/etc/default/rpc.nisd](#) file contains the following default parameter ...[docs.sun.com/app/docs/doc/816-5166/6mbb1kqeh?a=view](#) - 25k -[Cached](#) - [Similar pages](#)[docs.sun.com: System Administration Guide: Naming and Directory ...](#)The [/etc/default/rpc.nisd](#) file is used to select LDAP server and authentication, and controls some general [rpc.nisd](#) behavior. See [rpc.nisd\(4\)](#). ...[docs.sun.com/app/docs/doc/816-4556/6maort2u4?a=view](#) - 23k -[Cached](#) - [Similar pages](#)[\[More results from docs.sun.com \]](#)[DragonFly On-Line Manual Pages : rpc.yppasswdd \(8\)](#)The following options are available: -t master.passwd template file By default, [rpc.yppasswdd](#) assumes that the template file used to generates the ...[leaf.dragonflybsd.org/cgi/web-man?command=rpc.yppasswdd§ion=8](#) - 13k -[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 11,000 for RPC and "default RPC". (0.13 seconds)

[jax-rpc: Understanding your JAX-RPC SE environment, Part 2](#)

Alt-2: To expose a **rpc**/encoded WSDL instead, do not specify -f:documentliteral switch and a **default rpc**/encoded WSDL is generated. ...

<https://jax-rpc.dev.java.net/whitepaper/1.1/index-part2.html> - 46k -

[Cached](#) - [Similar pages](#)

[SGI TPL View \(statd.8\)](#)

-F By **default**, **rpc.statd** forks and puts itself in the background when started. ... By **default**, **rpc.statd** will call gethostname(2) to get the local hostname. ...

[techpubs.sgi.com/.../cgi-bin/getdoc.cgi?coll=linux&](http://techpubs.sgi.com/.../cgi-bin/getdoc.cgi?coll=linux&db=man&fname=/usr/share/catman/man8/statd.8.html)

db=man&fname=/usr/share/catman/man8/statd.8.html - 12k - [Cached](#) - [Similar pages](#)

[SGI TPL View \(rpc.nfsd.8\)](#)

By **default**, **rpc.nfsd** will listen on port 2049. -t transport specify a comma-separated list of transports to listen on for NFS requests. ...

[techpubs.sgi.com/.../getdoc.cgi?coll=linux&](http://techpubs.sgi.com/.../getdoc.cgi?coll=linux&db=man&fname=/usr/share/catman/man8/rpc.nfsd.8.html)

db=man&fname=/usr/share/catman/man8/rpc.nfsd.8.html - 10k -

[Cached](#) - [Similar pages](#)

[rpc.yppasswdd\(8\) - server for updating NIS passwords](#)

By **default**, **rpc.yppasswdd** assumes that the template file used to generates the master.passwd and passwd maps for the default domain is called ...

www.gsp.com/cgi-bin/man.cgi?section=8&topic=rpc.yppasswdd - 23k -

[Cached](#) - [Similar pages](#)

[Windows 2000 RPC Name Service and Integration with Active Directory](#)

The RpcServices property page is displayed and contains the Enable **RPC** Name Service lookups for pre-Windows 2000 computers checkbox. By **default**, **RPC** name ...

[www.microsoft.com/technet/prodtechnol/](http://www.microsoft.com/technet/prodtechnol/windows2000serv/reskit/distrib/dsbd_int_ysrk.mspx)

windows2000serv/reskit/distrib/dsbd_int_ysrk.mspx - 13k - [Cached](#) - [Similar pages](#)

[rpc.nfsd\(8\): NFS server process - Linux man page](#)

By **default**, **rpc.nfsd** will accept NFS requests on all known network addresses. Note that lockd (which performs file locking services for NFS) may still ...

www.die.net/doc/linux/man/man8/rpc.nfsd.8.html - 7k - [Cached](#) - [Similar pages](#)

[Part 2: Network Protection Technologies](#)

By **default**, **RPC** does not function through Windows Firewall. All system services that use **RPC** are affected. However, Windows Firewall can be configured to ...

technet.microsoft.com/en-us/library/bd3abaad-c6cb-2b4e-bc02-75876253e295.aspx

- 149k - [Cached](#) - [Similar pages](#)

[INFO: Configuring Microsoft Distributed Transaction Coordinator ...](#)

DTC uses Remote Procedure Call (**RPC**) dynamic port allocation. By **default**, **RPC** dynamic port allocation randomly selects port numbers above 1024. ...

[msdn.microsoft.com/isapi/gosupport.asp?Target=/default.aspx?scid=kb;en-](http://msdn.microsoft.com/isapi/gosupport.asp?Target=/default.aspx?scid=kb;en-us;Q250367)

us;Q250367 - [Similar pages](#)

[Rpc - NESTFE Wiki](#)

By **default**, **Rpc** uses Drip to send messages and Drain to receive. These defaults can be overridden by defining the following c preprocessor symbols: ...

nest.cs.berkeley.edu/nestfe/index.php/Rpc - 15k - [Cached](#) - [Similar pages](#)

[rpc-open-client](#)

See **rope**, which operates on the **default RPC** port bound to the variable ***rpc-port***.

When the port is a subclass of with-**rpc-port-enabler** (such as ...

[franz.com/support/documentation/6.2/doc/pages/operators/net.rpc/rpc-open-](http://franz.com/support/documentation/6.2/doc/pages/operators/net.rpc/rpc-open-client.htm)

client.htm - 5k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 11,000 for **RPC** and **"default RPC"**. (0.15 seconds)***rpc-port***

rpc-port. The value of this variable identifies the **default RPC** port in the dynamic environment. The variable is bound explicitly by the macro ...
www.franz.com/support/documentation/8.0/doc/variables/rpc/s_rpc-port_s.htm - 5k -
 Cached - [Similar pages](#)

Multi-protocol object distribution - Patent 20030140180

The **RPC** transport protocol stubs can include both a **default RPC** transport stub, ...
 The system of claim 2, wherein said **default RPC** transport protocol stub ...
www.freepatentsonline.com/20030140180.html - 33k - [Cached](#) - [Similar pages](#)

Microsoft Internet Security & Acceleration Server (ISA) 2000 ...

When you install ISA Server, two **default RPC** protocol definitions are provided: Any **RPC** Server. If this protocol definition is allowed in a server ...
www.microsoft.com/technet/isa/2000/proddocs/isafp1/rpcaboutpublishing.mspx - 7k -
[Cached](#) - [Similar pages](#)

lockd Daemon

By **default rpc**, lockd establishes a dynamic socket port number for receiving requests. Entries may be added to the /etc/services file specifying the port ...
publib.boulder.ibm.com/infocenter/pseries/v5r3/topic/com.ibm.aix.cmds/doc/aixcmds3/lockd.htm - 12k - [Cached](#) - [Similar pages](#)

mk_nisd Command

If this flag is not used, the **default rpc.nisd** behavior is to always start with DES authentication. The -s option is used to make the **rpc.nisd** compatible ...
publib.boulder.ibm.com/infocenter/pseries/v5r3/topic/com.ibm.aix.cmds/doc/aixcmds3/mk_nisd.htm - 10k -
[Cached](#) - [Similar pages](#)

UNIX man pages : statd ()

-F By **default**, **rpc.statd** forks and puts itself in the background when started. The -F argument tells it to remain in the fore- ground. ...
www.mcsr.olemiss.edu/cgi-bin/man-cgi?statd - 7k - [Cached](#) - [Similar pages](#)

JSI Tip 7109. How do I disable DCOM support in RPC over HTTP on ...

Windows Server 2003 provides support for implementing the remote procedure call (**RPC**) protocol over HTTP, known as "**RPC over HTTP**." By **default**, **RPC** over ...
www.jsifaq.com/SF/Tips/Tip.aspx?id=7109 - 29k - [Cached](#) - [Similar pages](#)

Berkeley DB Reference Guide: RPC FAQ

Some systems have a **default RPC** client timeout value that is too small, and the client times out the request before the server has a chance to process and ...
www.oracle.com/technology/documentation/berkeley-db/db/ref/rpc/faq.html - 3k -
[Cached](#) - [Similar pages](#)

RPC Development Kit Software

This is the **default RPC** Dev Kit configuration. It will work properly only on old PCs which have Standard Parallel Port (SPP) with open collector / pull-up ...
www.radiometrix.co.uk/products/rpceval/rpc_soft.htm - 8k - [Cached](#) - [Similar pages](#)

rpc.nfsd (Linux Reviews)

By **default**, **rpc.nfsd** will listen on port 2049. nproc: specify the number of NFS server threads. By default, just one thread is started. ...
linuxreviews.org/man/rpc.nfsd/ - 87k - [Cached](#) - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#)
[Next](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 111 - 120 of about 11,000 for RPC and "default RPC". (0.29 seconds)

[\[Bugdev\] \[Full-Disclosure\] iDEFENSE Security Advisory 09.16.03 ...](#)

... to execute arbitrary commands with super-user privileges against Solaris hosts running the **default RPC** authentication scheme in Solstice AdminSuite. ...
[lists.virus.org/bugdev-0309/msg00097.html](#) - 15k - [Cached](#) - [Similar pages](#)

[Active Directory Replication Tools and Settings](#)

By **default**, **RPC**-based replication uses dynamic port mapping. When connecting to an **RPC** endpoint during Active Directory replication, the **RPC** run time on the ...
[technet2.microsoft.com/windowsserver/en/library/df20bd3e-9914-4a8d-bd5b-3b987c73a34d1033.mspx](#) - 43k - [Cached](#) - [Similar pages](#)

[Welcome to CGarchitect.com](#)

ArchVision has thought of almost everything for this new **RPC** collection, including the license plates. You can turn them on or off, use the **default RPC** ...
[www.cgarchitect.com/news/reviews/Review006_1.asp](#) - 45k - [Cached](#) - [Similar pages](#)

[Welcome to CGarchitect.com](#)

Once the image is open, you will see a Horizon line placed across the image and a **default RPC** person placed onto the scene. From here you need to simply ...
[www.cgarchitect.com/news/Reviews/Review030_1.asp](#) - 39k - [Cached](#) - [Similar pages](#)
[\[More results from www.cgarchitect.com \]](#)

[\[PDF\] RPC Dev Kit Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Using a printer port to drive the **RPC**. For Old PCs: Standard Parallel Port (SPP with open collector / pull-up control lines). This is the **default RPC** Dev ...
[isa.umh.es/temas/eyebot/RF/rpc_dev.pdf](#) - [Similar pages](#)

[GNUe Traffic #83 For 31 May 2003 Editor: Peter Sullivan By Peter ...](#)

26 May 2003 **Default RPC** type for Application Server 3. 26 May 2003 Updates and inserts on multiple lists in AppServer 4. 27 May 2003 XSLT and GNUe Reports 5 ...
[kerneltraffic.org/GNue/gnue20030531_83.txt](#) - 12k - [Cached](#) - [Similar pages](#)

[Simple Java RPC framework for GUI & non-GUI: ProgrammersGuide](#)

A client can send **RPC** calls to a server side **RPC** handler and a server handler can send calls to a client side handler. The **default RPC** mechanism supports ...
[www.retrogui.com/cgi-bin/wiki_dualrpcserver.pl/ProgrammersGuide](#) - 13k - [Cached](#) - [Similar pages](#)

[Cool Player Plugin](#)

And then change the **default RPC** Server to your **RPC** Server on the CoolPlayer options page in administrator's interface. You can test validity of your **RPC** ...
[izachy.com/2006/11/16/cool-player-plugin/](#) - 84k - [Cached](#) - [Similar pages](#)

[Linux-Kernel Archive: Re: Error with Root-fs on NFS...](#)

mountd port number from server, using **default RPC**: sendmsg > returned error 101
 mount: **RPC** call returned error 101 Root-NFS: ...
[www.ussg.iu.edu/hypermail/linux/kernel/0201.3/0056.html](#) - 6k - [Cached](#) - [Similar pages](#)

[RPC stub incompatibility - PC Tools Community Forum](#)

Reload this Page **RPC** stub incompatibility ... **Default RPC** stub incompatibility ...
 Description: Incompatible version of the **RPC** stub. ...
[www.pctools.com/forum/showthread.php?t=33998](#) - 46k - [Cached](#) - [Similar pages](#)

[Previous](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#)

[Next](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 201 - 210 of about 11,000 for RPC and "default RPC". (0.26 seconds)

[org.jboss.axis.enums.Style \(Java2HTML\)](#)

getStyle(MESSAGE_STR); public static final Style **DEFAULT = RPC**; static
 { type.setDefault(DEFAULT); } private QName provider; public static Style ...
[docs.huihoo.com/javadoc/jboss/4.0.2/org/jboss/axis/enums/Style.java.html](#) - 16k -
[Cached](#) - [Similar pages](#)

6.10.1. Examples

The examples were tested on Linux with the **default RPC** implementation. The
default RPC implementation needs no special configuration to run the examples, ...
[dsrg.mff.cuni.cz/~ceres/sch/mwy/text/ch06s10s01.php](#) - 6k - [Cached](#) - [Similar pages](#)

[RPC Server Unavailable - Can't Install Printer Drivers ...](#)

Reload this Page **RPC Server Unavailable - Can't Install Printer Drivers. ... Default**

[RPC Server Unavailable - Can't Install Printer Drivers. ...](#)

[forums.majorgeeks.com/showthread.php?t=80077](#) - 58k - [Cached](#) - [Similar pages](#)

[Keep up with the Web service styles \(and uses\) - Java World](#)

From the command line, Java2WSDL only recognizes its **default, RPC/encoded**. The
 equivalent Ant task; Axis-java2wsdl, provides a style attribute whose values ...
[www.javaworld.com/javaworld/jw-10-2003/jw-1003-wsstyles.html?page=4](#) - 60k -
[Cached](#) - [Similar pages](#)

[Pytos Development Environment - NESTFE Wiki](#)

Modules or interfaces with **rpc** functions can also be gotten as member fields. By
default, rpc functions are blocking, wait 1 second, and return a list of ...
[nest.cs.berkeley.edu/nestfe/index.php/Pytos_Development_Environment](#) - 64k -
[Cached](#) - [Similar pages](#)

[University of Victoria - Computer Help Desk](#)

By **default, RPC** will not function through Windows Firewall. All services and
 applications that use **RPC** are affected, including file and print sharing, ...
[helpdesk.uvic.ca/software/downloads/win-xp/winxp-sp2-problems.html](#) - 31k -
[Cached](#) - [Similar pages](#)

[My Little SMF FAQ](#)

[svc:/network/rpc/spray:default RPC spray svc:/network/rpc/wall:default network](#)
[rwall server svc:/network/tname:default trivial name server ...](#)
[home.arcor.de/bnsmb/public/htdocs/My_Little_SMF_FAQ.html](#) - 191k -
[Cached](#) - [Similar pages](#)

[RPC Mouthpiece F/A - Sax on the Web Forum](#)

Join Date: Dec 2004. Posts: 64. **Default RPC Mouthpiece F/A. RPC Tenor**
Mouthpiece 150 For Auction on eBay. Ships From Scotland. ...
[forum.saxontheweb.net/showthread.php?t=24109](#) - 75k - [Cached](#) - [Similar pages](#)

[typo3.org: Repository](#)

gets the **default RPC** parameter setting. * If true, default is that call params are like
RPC even for document style. * Each call() can override this value. ...
[typo3.org/extensions/repository/view/dr_mantis_soapinterface/0.0.1/info/nusoap%252Fclass.nusoapclient.php/](#) - 196k - [Cached](#) - [Similar pages](#)

[Hosting Solutions - Mail, Web Site, Control Panels](#)

If you wish to run **RPC** over HTTP with Outlook 2003, please reference the MAPI
 session from outside the firewall without using the **default RPC** ports. ...
[www.lanlogic.net/support/kb/exchange-2003-faq.asp](#) - 94k - [Cached](#) - [Similar pages](#)

[Previous](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#) [26](#) [27](#) [28](#) [29](#) [30](#)
[Next](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#) [Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 2 of 2 for RPC and "default RPC " and deterioration . (0.32 seconds)

Tip: Try removing quotes from your search to get more results.

[Multi-protocol object distribution - Patent 20030140180](#)

The **RPC** transport protocol stubs can include both a **default RPC** transport stub, ...

The method of claim 6, further comprising: detecting a **deterioration** in ...

www.freepatentsonline.com/20030140180.html - 33k - [Cached](#) - [Similar pages](#)

[Method and apparatus for adaptive server selection in a data ...](#)

The above-mentioned **deterioration** of the communication link can be caused by,

In accordance with one embodiment, the **default RPC** threshold T_{RPC} equals ...

www.freepatentsonline.com/20020196752.html - 151k - [Cached](#) - [Similar pages](#)

Download [Google Pack](#): free essential software for your PC

RPC and "default RPC " and deteriorio

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

WebResults 1 - 4 of 4 for **RPC and "default RPC " and establishing and re-establishing** . (0.19 seconds)

Did you mean: RPC and "default RPC " and establishing and **establishing**

Multi-protocol object distribution - Patent 20030140180

The **RPC** transport protocol stubs can include both a **default RPC** transport stub, ... further **re-establishing** said communicative link with said **default RPC** ...

www.freepatentsonline.com/20030140180.html - 33k - [Cached](#) - [Similar pages](#)

Resolved Problems for Service Pack 5

After **re-establishing** the connection, the Managed Server created the new system property to set the **default rpc** timeout value for Web Services. ...

edocs.bea.com/wls/docs81/notes/resolved_sp05.html - 295k -

[Cached](#) - [Similar pages](#)

FreeBSD Network Administrators Guide

Usually, **establishing** a SLIP connection involves dialing up a remote site By **default**, **rpc.mountd** disallows all directory mounts, which is a rather ...

people.freebsd.org/~nik/nag/book.html - 977k - [Cached](#) - [Similar pages](#)

[PDF] Linux Network Administrators Guide

File Format: PDF/Adobe Acrobat

By **default**, **rpc.mountd** disallows all directory mounts, which is a rather sensible wait 60 seconds before **re-establishing** a failed connection, ...

[www.ssuet.edu.pk/~amkhan/Linuxbooks/eBook%20-%20Manual%20-%20Linux%](http://www.ssuet.edu.pk/~amkhan/Linuxbooks/eBook%20-%20Manual%20-%20Linux%20Net%20Admin%20Guide.pdf)

[20Net%20Admin%20Guide.pdf](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed. If you like, you can repeat the search with the omitted results included.

Did you mean to search for: RPC and "default RPC " and establishing and **establishing**

Try [Google Desktop](#): search your computer as easily as you search the web.

RPC and "default RPC " and establi:

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 13,300 for **RPC and establishing and re-establishing** . (0.35 seconds)

Did you mean: [RPC and establishing and **establishing**](#)

[Multi-protocol object distribution - Patent 20030140180](#)

... selecting one said other **RPC** transport mechanisms and **re-establishing** said communicative link with said distributed object using said selected **RPC** ...

www.freepatentsonline.com/20030140180.html - 33k - [Cached](#) - [Similar pages](#)

[Method and an apparatus for **re-establishing** wireless communication ...](#)

In the present invention a method of **re-establishing** a wireless ... two paths for the signals from the two **RPC** MF circuits 80a and 80b are provided. ...

www.freepatentsonline.com/5212808.html - 83k - [Cached](#) - [Similar pages](#)

[More results from www.freepatentsonline.com]

[Protocols for Interworking: XNFS, Version 3W - File Locking over XNFS](#)

The NLM and NSM are **RPC**-based servers which normally execute as autonomous "daemon" ... for detecting a server host failure and **re-establishing** the locks. ...

www.opengroup.org/onlinepubs/9629799/chap9.htm - 23k - [Cached](#) - [Similar pages](#)

[Client/server architecture supporting concurrent servers within a ...](#)

For example, a widely known and used **RPC** facility developed by Sun ... by the server without terminating and **re-establishing** the communication link, ...

www.patentstorm.us/patents/5761507-description.html - 61k -

[Cached](#) - [Similar pages](#)

[The Oracle+PHP Cookbook: Improving Performance Through Persistent ...](#)

Even if each child must have its own connection, **re-establishing** the ... Unless you are running some sort of remote procedure call (**RPC**) server that handles ...

www.oracle.com/technology/pub/articles/

oracle_php_cookbook/coggeshall_persist.html - 50k - [Cached](#) - [Similar pages](#)

[EP1145496 Sun european software patent - A method to monitor and ...](#)

If the service monitor does not receive an **RPC** reply from the service and a of the service and **re-establishing** the size of the first communication file ...

gauss.ffii.org/PatentView/EP1145496 - 47k - [Cached](#) - [Similar pages](#)

[\[PDF\] /spl mu/-Kernels Must and Can be Small - Object-Orientation in ...](#)

File Format: PDF/Adobe Acrobat

code and data; **re-establishing** the application's work-. ing set needs **RPC**. to. a. user-specified preemptor (if the user speci-. fied one). ...

ieeexplore.ieee.org/iel3/4122/12153/00557909.pdf?arnumber=557909 -

[Similar pages](#)

[\[PDF\] **RPC** Trailer - inside pages.indd](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ings of current re-entry efforts can use the **RPC** Report as a checklist **re-establishing** relationships fractured by domestic ...

www.reentrypolicy.org/reentry/Document_Viewer.aspx?DocumentID=1095 -

[Similar pages](#)

[\[PS\] Variable Granularity Cache Coherence](#)

File Format: Adobe PostScript - [View as Text](#)

RPC with a small amount of data (a single version number) determines whether the advantage that **re-establishing** volume callback would be relatively ...

www.cs.cmu.edu/afs/cs/project/coda-

www/ResearchWebPages/docdir/osrvcb94.ps.gz - [Similar pages](#)

[\[PDF\] -Kernels Must And Can Be Small](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

code and data **re-establishing** the application's work-. ing set needs. c. cycles additionally. preemption occurs, the kernel generates an **RPC** ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 13,300 for **RPC and establishing and re-establishing** . (0.11 seconds)

[PDF] [FILED](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the "crime-fraud exception" is not provided for in the existing **RPC** 1.6 as adopted ...
Counsel shall confer and prepare an agreed Order **re-establishing** the ...
www.dougschafer.com/Mills1215.pdf - [Similar pages](#)

[NewsForge | Signs point to Macromedia dropping JRun from product line](#)

The source said that **re-establishing** the development group was highly unlikely. ...
Additional Web services backing is being added via Sun's JAX **RPC** (Java ...
www.newsforge.com/article.pl?sid=03/08/06/1413257 - 43k - [Cached](#) - [Similar pages](#)

[The Microsoft Outlook's requesting data problem – a detailed ...](#)

The IS and **RPC** services form essential communication channels between
Exchange and ... path is broken and move on to **re-establishing** a new connection.

...
www.outlookpower.com/issuesprint/issue200402/00001228.html - 24k -
[Cached](#) - [Similar pages](#)

[PDF] [AltRMI - Overview](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

more like the proprietary **RPC** transport for the .NET framework. ... AltRMI has a
pluggable architecture for **re-establishing** connections (and reporting ...
incubator.apache.org/projects/altrmi/index.pdf - [Similar pages](#)

[AltRMI - Overview](#)

AltRMI has a pluggable architecture for **re-establishing** connections (and reporting
timings etc). Whilst in the middle of an invocation, if the connection is ...
incubator.terra-intl.com/projects/altrmi/ - 25k - [Cached](#) - [Similar pages](#)

[PDF] [FINAL MEETING SUMMARY HANFORD ADVISORY BOARD R P C April 12, 2006...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

establishing alternate concentration limits (ACLs) is no longer being used.
trustees **reestablishing** shrub-steppe at an alternative location to off-set ...
www.hanford.gov/hanford/files/HAB_FINAL_RAP_apr2006.pdf - [Similar pages](#)

[Mailing list archives](#)

import org.apache.soap.rpc.*; public class GetRuntimeInfo { public static void OK
and then deep-ends in > **re-establishing** its context for the 2nd call. ...
[mail-archives.apache.org/.../%](mailto:3C0B081CE3E39ED311AE6100508B63B21185CD3D@cacrtvex1.corp.certive.com)
3C0B081CE3E39ED311AE6100508B63B21185CD3D@cacrtvex1.corp.certive.com%
3E - 14k - [Cached](#) - [Similar pages](#)

[Protocols for Interworking: XNFS, Version 3W - NLM_LOCK](#)

RPC Procedure Description. nlm_res NLM_LOCK(nlm_lockargs) = 2; ... host has
recently been rebooted and the server NLM is **re-establishing** existing locks, ...
www.opengroup.org/onlinepubs/9629799/NLM_LOCK.htm - 6k -
[Cached](#) - [Similar pages](#)

[Friendship Society in Russia](#)

This versatile activity is subordinated to the task of **re-establishing** the USSR and
defending the class interests. In this connection I would like to ...
www.northstarcompass.org/nsc0510/friendship.htm - 12k - [Cached](#) - [Similar pages](#)

[Specifying and establishing communication data paths between ...](#)

21 illustrates a general method of selectively **establishing** In the present
embodiment, a registration contains two things: an **RPC** address that can be ...
www.patentstorm.us/patents/5812865-description.html - 123k -
[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 41 - 50 of about 13,300 for **RPC and establishing and re-establishing** . (0.19 seconds)

[PDF] INTERNATIONAL ELECOMMUNICATION NION

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the participants in the present **RPC** propose the strategies set out below. ...
telecommunication network operators in **establishing/re-establishing** a healthy ...
www.itu.int/ITU-D/arb/WTDC-02/Documents/39-er1.pdf - [Similar pages](#)

[PDF] Financial obligations one-pager v4.indd

File Format: PDF/Adobe Acrobat - [View as HTML](#)

re-entering individuals from **re-establishing**-family connections or seeking For
additional background on the **RPC** and its Report, please visit the **RPC** ...
www.reentrypolicy.org/reentry/Document_Viewer.aspx?DocumentID=999 -
[Similar pages](#)

Reducing Support Costs with Windows Vista

... **re-establishing** custom settings and connections and reloading For example,
Microsoft Office Outlook 2003 switches from **RPC** over TCP/IP to **RPC** over ...
technet.microsoft.com/en-us/windowsvista/aa906019.aspx - 43k -
[Cached](#) - [Similar pages](#)

[PPT] Scalability & Availability

File Format: Microsoft Powerpoint - [View as HTML](#)

Re-establishing state consistency? Scalability and parallelism? Programmer
writes and receives messages; Not hidden as **RPC** or remote methods ...
www.cs.usyd.edu.au/~comp5348/DistributedComputing.ppt - [Similar pages](#)

CORBA/IIOP Specifications

Related Industry Standards:, JAX-**RPC**, W3C SOAP 1.1, W3C WSDL 1.1, W3C
XSD messages and for **establishing**, releasing, and **re-establishing** the tunnel.
...
www.omg.org/technology/documents/corba_spec_catalog.htm - 61k -
[Cached](#) - [Similar pages](#)

[PDF] RC EDP ingles **RPC**

File Format: PDF/Adobe Acrobat

re-establishing the economic and financial equilibrium. and concession-holders'
losses caused by rationing. The decrease in consumption associated with the ...
www.edp.pt/NR/rdonlyres/CA2948AB-1BA1-476C-9582-3D7213E2E9A6/0/RC2002_EN.pdf - [Similar pages](#)

[PDF] *396 American Cyanamid Co. Appellants v. Ethicon Ltd. Respondents ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

objection was made in the Natural Colour case, 32 **R.P.C.** 256, 259-260, and what
them in **re-establishing** a monopoly. If an interlocutory injunction is ...
www.giurisprudenza.unito.it/sito2/pdf/testi_lezioni/anglo_am_AmericanCyanamid-1.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - 14-FaultTolerance

File Format: PDF/Adobe Acrobat - [View as HTML](#)

may try to mask a TCP crash by automatically **re-establishing** the. lost connection).
... The **RPC** mechanism works well as long as both the client and server ...
www.csc.liv.ac.uk/~konev/COMP212/14-FaultTolerance.pdf - [Similar pages](#)

[PDF] Improved Address-Space Switching on Pentium Processors by ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(100000 time accessing all pages) without **RPC**. The given times are round. trip **RPC**
times, user to user, plus the required time for **re-establishing** the ...
i30www.ira.uka.de/research/documents/l4ka/multiplex-address-spaces.pdf -
[Similar pages](#)

From greg at electricrain.com Thu Jul 1 16:22:07 2004 From: greg ...

If XML-**RPC** is not the thing to go for, what other choices do I have? Luigi

<http://www.google.com/search?q=RPC+and+establishing+and+re-establishing++&hl=en&rls=GGLD,GG...> 6/11/2007


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - Recent articles Results 1 - 10 of about 83 for **RPC and establishing and re-establishing and querying**. (0.09 s

All Results

Did you mean: [RPC and establishing and **establishing** and querying](#)

[J Dedecker](#)

[Multi-protocol object distribution](#)

[T Van Cutsem](#)

KG Brown, MA Perks, SM Sundberg - 2003 - freepatentsonline.com

[S Mostinckx](#)

... object distribution system; **establishing** a communicative ... **RPC** transport mechanisms and **re-establishing** said communicative ... and, processing said **RPC** request for ...

[T D'Hondt](#)

[Cached](#) - [Web Search](#)

[W De Meuter](#)

[Methods and apparatuses to cancel query - all 3 versions »](#)

J Chen, D Tyrell, TK Wong, Q Sun, JJ Lu - 2005 - freepatentsonline.com

... the method further comprises: **establishing** a communication ... the method further comprises: **re-establishing** a communication ... through remote procedure call (**RPC**) 407 ...

[Cached](#) - [Web Search](#)

[The Grid-DBMS: Towards Dynamic Data Management in Grid Environments - all 5 versions »](#)

G Aloisio, M Cafaro, S Fiore, M Mirto - Proceedings of the International Conference on Information ..., 2005 - doi.ieeecomputersociety.org

... level data management processes aimed at **re-establishing** (by means ... set of primitives to directly **establish** and manage ... to provide SOAP-based **RPC** (through Apache ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[Ambient-oriented programming - all 9 versions »](#)

J Dedecker, T Van Cutsem, S Mostinckx, TD'Hondt, W ... - Conference on Object Oriented Programming Systems Languages ..., 2005 - portal.acm.org

... However, upon **re-establishing** a broken connection, users typically ... Other approaches adapt the **RPC** protocol by ... which processes can publish and **query** tuples to ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

[\[PS\] CS 725: Advanced Topics In Networking](#)

K Gupta, D Sanghi, IIT Kanpur - cse.iitk.ac.in

... x ! y). The creation of routes is source initiated and involves **establishing** a sequence ... There are three types of packets - **QUERY** packets used to create routes ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Mobile databases: a selection of open issues and research directions - all 3 versions »](#)

G Bernard, P Molli, P Pucheral, C Runcancio, P ... - ACM SIGMOD Record, 2004 - portal.acm.org

... Data Access), which allows **querying** encrypted data ... against attacks and allows **re-establishing** the orthogonality ... and terminal), and an asynchronous **RPC** protocol ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Distributed Processing: DCE, CORBA, and Java](#)

A Bond, K Duddy, K Raymond - Handbook on Architectures of Information Systems, 1998 - Springer

... case, the programmer is responsible for **re-establishing** a lost ... platform technologies in order to **establish** the basic ... This uses the DCE **RPC** wire format to ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[Evaluation of the protocols within the CODE mesh VSAT network](#)

G Fairhurst, P Glover, F de Bruin - Networking Aspects of Small Terminal Satellite Systems, IEE ..., 1994 - ieeexplore.ieee.org

Page 1 Evaluation of the Protocols within the CODE Mesh VSAT Network. G.

Fairhurst1, P. Glover2 and F. de Bruin2. Introduction to CODE. ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Method and apparatus for passing pre-processed data to server-side applications](#)

A McElligott - 2003 - freepatentsonline.com

... ODBC (open database connectivity), **RPC** (remote procedure calls ... incurs significant overhead in **re-establishing** its connection ... 18 needs to **establish** and maintain ...
[Cached](#) - [Web Search](#)

NFS over RDMA - all 12 versions »

B Callaghan, T Lingutla-Raj, A Chiu, P Staubach, O ... - Proceedings of the ACM SIGCOMM workshop on Network-I/O ..., 2003 - portal.acm.org

... existent chunk buffer. In this case, the client can recover by **re-establishing** the RDMA connection and retransmitting the **RPC** call. ...

Cited by 15 - [Related Articles](#) - [Web Search](#)

Did you mean to search for: RPC and establishing and **establishing** and querying

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) - [Recent articles](#) Results 11 - 20 of about 83 for **RPC and establishing and re-establishing and querying.** (0.11)

All Results

[J Dedecker](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)
[W De Meuter](#)

[Wireless internet: Challenges and solutions - all 3 versions »](#)

K Raatikainen - Our first ten years of research in mobile computing and ..., 2000 - cs.helsinki.fi
 ... probes for other similar devices in order to **establish** suitable ad ... of presenting,
 maintaining, sharing, protect- ing, reasoning, and **querying** context information ...
 Cited by 4 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Distributed speech recognition system - all 4 versions »](#)

J Cyr, C Green, M Hold, R Kuhn, A MacGinitie - US Patent 7,146,321, 2006 - freepatentsonline.com
 ... All communications are handled via **RPC** calls. ... LOG-file, which is transferred after
re-establishing the connection ... The Audit Server will **query** the SQL database ...
[Related Articles](#) - [Cached](#) - [Web Search](#)

[Architecture for Location Independent CORBA Environments - all 4 versions »](#)

R Cunningham - a dissertation in partial fulfillment of the requirements ... - cs.tcd.ie
 ... in response to the request message. Other facilities that are possible
 with IIOP include **querying** for the location of an object ...
 Cited by 11 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Deploying IPSec - all 4 versions »](#)

R Guide - securitytechnet.com
 ... Triggering IKE and IPSec The process of **establishing** the security associations and
 sending ... In that case the "**query** ldap" command may be used to download ...
 Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PS\] A Mobile Component Environment Based on CORBA Service Extensions for Mobile-Aware Network Computing - all 2 versions »](#)

AI Periquet, EC Lin, TX Dallas - engr.smu.edu
 ... of a message (eg sockets or **RPC**) and the ... the MH to allow it to **establish** direct
 connection ... transition to the new network by **re-establishing** communication and ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Architecture for Location Independent CORBA Environments - all 2 versions »](#)

V Cahill, R Cunningham - 2006 - webbird.tcd.ie
 ... in response to the request message. Other facilities that are possible
 with IIOP include **querying** for the location of an object ...
[View as HTML](#) - [Web Search](#)

[Offline multi-table data editing and storage](#)

RL Dickinson, P Kouznetsov, S Chauhan - 2006 - freepatentsonline.com
 ... XML web services, remote procedure calls (**RPC**), ADO, and ... At block 815, the user attempts
 to **establish** the data ... to the data source after **re-establishing** a link ...
[Cached](#) - [Web Search](#)

[Local Disk Caching for Client-Server Database Systems - all 3 versions »](#)

MJFMJ Carey, M Livny - iits.uap.edu.ph
 ... relevant updates, which are then applied to the cached **query** results. ... cost of a
 random disk I/O and the cost of a round-trip **RPC** to the server. ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Application Support for Mobile Computing - all 7 versions »](#)

SL Pope - 1997 - sigmobile.org
 ... 68 5.3 **RPC** Implementation : : : : 69 ... 119 7.1 Mobile **RPC** : : : : ...
 Cited by 6 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[Networks-Mobility for Enterprise Communications](#)


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) - [Recent articles](#) Results 21 - 30 of about 83 for **RPC and establishing and re-establishing and querying**. (0.10)

All Results

[J Dedecker](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)
[W De Meuter](#)

[Java Tools and Technologies for Cluster Computing - all 4 versions »](#)

KA Hawick, H James, J Mathew, P Coddington - DHPC-077 <http://www.dhpc.adelaide.edu.au/reports-dhpc.adelaide.edu.au>

... User **Query** aspects of task graph decomposition handles ... write elegant and correct code to **establish** communi- cations ... mechanisms such as sockets and **RPC**, due to ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Security Agility for Dynamic Execution Environments - all 4 versions »](#)

M Petkac, L Badger, W Morrison - Proceedings of the DARPA Information Survivability ... - doi.ieeecomputersociety.org

... servers access **RPC** services through the **RPC** library. ... domain name server(s), and **re-establishing** DTE IPC ... daemon, rshd, the Internet name **query** service, nslookup ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

[Specifying and establishing communication data paths between particular media devices in multiple ... - all 3 versions »](#)

MM Theimer, MJ Spreitzer, MD Weiser, RJ Goldstein, ... - US Patent 5,812,865, 1998 - Google Patents

... Location **Query**? ... Send **RPC** Request With Message To (Each) UserAgent ... SPECIFYING AND **ESTABLISHING** COMMUNICATION DATA PATHS BETWEEN PARTICULAR MEDIA DEVICES IN ...

[Cited by 42](#) - [Related Articles](#) - [Web Search](#)

[Ambient-oriented Programming in Ambienttalk - all 3 versions »](#)

J Dedecker, T Van Cutsem, S Mostinckx, TD'Hondt, ... - Proceedings of the 20th European Conference on Object- ..., 2006 - prog.vub.ac.be

... However, upon **re-establishing** a broken connection, users typically ... **RPC**-based Middleware like Alice [13] and DOLMEN ... can asynchronously publish and **query** tuples ...

[Cited by 11](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[How to Crack WEP or Bluetooth Without Sniffing a Single Packet OR](#)

B Guessing, J Searches - giac.org

... to Exploit **RPC** DCOM12 ... Technique.....35 **Re-Establishing** Network ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[The Astrophysics Simulation Collaboratory Portal: a framework for effective distributed research - all 8 versions »](#)

R Bondarescu, G Allen, G Daues, I Kelley, M ... - Future Generation Computer Systems, 2005 - Elsevier

... ASC Portal does include tools for **querying** information about ... resource to the next without **re-establishing** identity, ie ... and the portal is performed via XML- **RPC**. ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[NFS version 4 Working Group S. Shepler INTERNET-DRAFT Sun Microsystems, Inc. Document: draft-ietf- ... - all 3 versions »](#)

B Callaghan, M Eisler, N Appliance, ID Noveck, ID ... - tools.ietf.org

... added a new operation which provides the client a method of **querying** the server ... For the NFS version 4 protocol, there are two **RPC** procedures, NULL and COMPOUND ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Advances in Databases and Information Systems, Moscow 1996 - all 3 versions »](#)

VV Doubrovski - bcs.org

... unavailable at least until the time of **re-establishing** a communication ... and no pre-update triggers or **RPC** are associated ... Step 2. LTM issues a **query** to GTM that ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[NFS version 4 Working Group S. Shepler INTERNET-DRAFT Sun Microsystems, Inc. Obsoletes: 3010 C. ... - all 6 versions »](#)

B Callaghan, M Eisler, N Appliance, ID Noveck, ID ... - tools.ietf.org

... added a new operation which provides the client a method of **querying** the server ... For the NFS version 4 protocol, there are two **RPC** procedures, NULL and COMPOUND ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

SELECTION OF MOBILE AGENT SYSTEMS BASED ON MOBILITY, COMMUNICATION AND SECURITY ASPECTS

M LALL - etd.unisa.ac.za

... to the agent must be rearranged. This may involve removing bindings to resources, **re-establishing** new bindings or even migrating ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - Recent articles Results 81 - 83 of 83 for RPC and establishing and re-establishing and querying. (0.14 second)

All Results

[J Dedecker](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)
[W De Meuter](#)

Dynamic Migration of Object Semantics Among Heterogeneous Environments

MP Wagner - 2001 - tumb1.biblio.tu-muenchen.de

... RMI) resembles mainly the concept of remote procedure calls (**RPC**) borrowed from ... Most solutions offered so far effectively **establish** homogeneity within a ...

[Web Search](#) - [Library Search](#)

MIGRATING PROCESSES USING DATA REPRESENTATION LANGUAGE REPRESENTATIONS OF THE PROCESSES IN A ... - all 2 versions »

GL SLAUGHTER, TE SAULPAUGH, BA TRAVERSAT - EP Patent 1,309,915, 2003 - freepatentsonline.com

... leases is configured for use in **reestablishing** the one ... The Remote Procedure Call

(**RPC**) is a basic ... provide a security mechanism for **establishing**, renewing and ...


[Cached](#) - [Web Search](#)

[PS] An Environment for Dynamically Configurable Protocols Located in User Space

M Eylich, DIB Metzler, A Wolisz, TU Berlin - www-tkn.ee.tu-berlin.de

... on remote machines by Remote Procedure Call (**rpc**). ... Only about ve years after **establish-**ing the rst ... be possible without terminating and **reestablishing** an open ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - [Recent articles](#) Résultats 1 - 10 of about 76 for **RPC and establishing and re-establishing and querying and pr**

All Results

Did you mean: [RPC and establishing and **establishing** and querying and protocol](#)

[J Dedecker](#)

[Multi-protocol object distribution](#)

[B Callaghan](#)

KG Brown, MA Perks, SM Sundberg - 2003 - freepatentsonline.com

[T Van Cutsem](#)

... object distribution system; **establishing** a communicative ... **RPC** transport mechanisms and **re-establishing** said communicative ... and, processing said **RPC** request for ...

[S Mostinckx](#)

[Cached](#) - [Web Search](#)

[T D'Hondt](#)

[Evaluation of the protocols within the CODE mesh VSAT network](#)

G Fairhurst, P Glover, F de Bruin - Networking Aspects of Small Terminal Satellite Systems, IEE ..., 1994 - [ieeexplore.ieee.org](#)

... provides the end-user with a standard ethernet interface which provides access to a TCP/IP (Ismission Control Pro- tocol Internet **Protocol**) transport service ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

[The Grid-DBMS: Towards Dynamic Data Management in Grid Environments - all 5 versions »](#)

G Aloisio, M Cafaro, S Fiore, M Mirto - Proceedings of the International Conference on Information ..., 2005 - [doi.ieeecomputersociety.org](#)

... level data management processes aimed at **re-establishing** (by means ... set of primitives to directly **establish** and manage ... to provide SOAP-based **RPC** (through Apache ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[\[ps\] CS 725: Advanced Topics In Networking](#)

K Gupta, D Sanghi, IIT Kanpur - [cse.iitk.ac.in](#)

... This **protocol** [3] uses source routing for routing ... is source initiated and involves **establishing** a sequence of ... are three types of packets - **QUERY** packets used ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[NFS over RDMA - all 12 versions »](#)

B Callaghan, T Lingutla-Raj, A Chiu, P Staubach, O ... - Proceedings of the ACM SIGCOMM workshop on Network-I/O ..., 2003 - [portal.acm.org](#)

... 4.3 The **Protocol** in Action Where the **RPC** messages ... this case, the client can recover by **re-establishing** the RDMA connection and retransmitting the **RPC** call ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#)

[Method and apparatus for passing pre-processed data to server-side applications](#)

A McElligott - 2003 - freepatentsonline.com

... ODBC (open database connectivity), **RPC** (remote procedure calls ... incurs significant overhead in **re-establishing** its connection ... 18 needs to **establish** and maintain ...

[Cached](#) - [Web Search](#)

[Distributed Processing: DCE, CORBA, and Java](#)

A Bond, K Duddy, K Raymond - Handbook on Architectures of Information Systems, 1998 - Springer

... case, the programmer is responsible for **re-establishing** a lost ... platform technologies in order to **establish** the basic ... This uses the DCE **RPC** wire format to ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[Mobile databases: a selection of open issues and research directions - all 3 versions »](#)

G Bernard, P Molli, P Pucheral, C Runcancio, P ... - ACM SIGMOD Record, 2004 - [portal.acm.org](#)

... Data Access), which allows **querying** encrypted data ... attacks and allows **re-establishing** the orthogonality ... server and terminal), and an asynchronous **RPC** protocol. ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Advances in Databases and Information Systems, Moscow 1996 - all 3 versions »](#)

VV Doubrovski - [bcs.org](#)

... unavailable at least until the time of **re-establishing** a communication ... and no pre-update triggers or **RPC** are associated ... Step 2. LTM issues a **query** to GTM that ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Wireless internet: Challenges and solutions](#) - all 3 versions »
K Raatikainen - Our first ten years of research in mobile computing and ..., 2000 - cs.helsinki.fi
... other similar devices in order to **establish** suitable ad ... provides its own Service
Discovery **Protocol** [47 ... protect- ing, reasoning, and **querying** context information ...
[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Did you mean to search for: [RPC and establishing and **establishing** and querying and protocol](#)

Go o o o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 7 8 [Next](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - Recent articles Results 51 - 60 of about 76 for **RPC and establishing and re-establishing and querying and p**

All Results

[J Dedecker](#)
[B Callaghan](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)

CSPP-Guidance for COTS Security Protection Profiles - all 18 versions »

G Stoneburner - NISTIR - [csrc.nist.gov](#)

Page 1. US DEPARTMENT OF COMMERCE William M. Daley, Secretary TECHNOLOGY

ADMINISTRATION Dr. Cheryl L. Shavers, Under Secretary of ...

Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Transparent Replication for Component-Based Applications - all 4 versions »

J Wang - 2000 - [www.csag.ucsd.edu](#)

... of this **RPC** functionality, except in the case of ... involves **establishing** a proxy for this interface in B, so ... mechanism it should use by **querying** the IMarshal ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Samer F. Lolo

SFZM Loulou, AM Othman - [esamerlolo.googlepages.com](#)

... **Protocol** WML Wireless Markup Language WYMIWYG What You Make Is What You Get WYSIWYG

What You See Is What You Get XML Extensible Markup Language XML-RPC ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

RFC 3010 (RFC3010)

C Beame, H Ltd, M Eisler, I Zambeel, D Noveck - [faqs.org](#)

... will be used to extend the basic **RPC** security. ... security negotiation, the NFS version

4 **protocol** has added a ... provides the client a method of **querying** the server ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[BOOK] TRACER: In-vehicle, GPS-based, Wireless Technology for Traffic Surveillance and Management - all 5 versions »

MG McNally, California, Irvine University of ... - 2003 - [its.berkeley.edu](#)

... 3 Communications Network and **Protocol** of XML-RPC in ... However, **querying** for ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

California Partners for Advanced Transit and Highways (PATH) - all 2 versions »

MG McNally, JE Marca, CR Rindt, AM Koos - [repositories.cdlib.org](#)

... 53 6.4.3 Communications Network and **Protocol** Role of XML-RPC in TracerMap ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Sun Microsystems Inc. C. Beame Hummingbird Ltd. M. Eisler Zambeel, Inc.

D Noveck - [rfc3010.x42.com](#)

... will be used to extend the basic **RPC** security. ... security negotiation, the NFS version

4 **protocol** has added a ... provides the client a method of **querying** the server ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

Method and computer program product for internet **protocol** (IP)-flow classification in a wireless ...

JW Jorgensen - 2003 - [freepatentsonline.com](#)

... along with resource reservation **protocol** (RSVP), to ... take many minutes before

re-establishing stability; this ... achieve high QoS by **establishing** circuit-centric ...

[Cached](#) - [Web Search](#)

Time division multiple access/time division duplex (TDMA/TDD) transmission media access control (MAC ...

JW Jorgensen - 2007 - [freepatentsonline.com](#)

... along with resource reservation **protocol** (RSVP), to ... take many minutes before


re-establishing stability; this ... achieve high QoS by **establishing** circuit-centric ...

[Cached](#) - [Web Search](#)

[PS] Mobile Code Technologies, Paradigms, and Applications - all 3 versions »

G Vigna - 1997 - [cs.ucsb.edu](#)

... like code remote evaluation (REV) [87] and **RPC** [11] are compared to the Echo distributed algorithms [19], to applications like "intelligent e-mail" and Web ...
[Cited by 37](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [Next](#)

RPC and establishing and re-establishing and querying and protocol

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 106 for **RPC and establishing and re-establishing and multi-protocol**. (0.34 seconds)

Did you mean: [RPC and establishing and **establishing** and multi-protocol](#)

Multi-protocol object distribution - Patent 20030140180

[0010] In the **multi-protocol** object distribution system, an **RPC** processing ... selecting one the other **RPC** transport mechanisms and **re-establishing** the ...
www.freepatentsonline.com/20030140180.html - 33k - [Cached](#) - [Similar pages](#)

System for establishing plan to test components of web based ...

##STR9## A **multi-protocol**, scalable global directory for storing information such **re-establishing** user passwords, maintaining groups of users, etc. ...
www.patentstorm.us/patents/6473794-description.html - 1015k - [Cached](#) - [Similar pages](#)

[PDF] [Sanera DS 10000 & Cisco MDS 9509 Director Comparison](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

multiprotocol. The DS10000 line cards. natively support Fibre Channel, FICON, and attached devices **re-establishing** connectivity. to the fabric. ...
hosteddocs.ittoolbox.com/MC050103B.pdf - [Similar pages](#)

[PDF] [Providing Security Services in a Resource Discovery System](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In this paper the authors introduce a **Multiprotocol** Service for **re-establishing** the service if the system's availability. is attacked. ...
www.academypublisher.com/jnw/vol02/no01/jnw02014859.pdf - [Similar pages](#)

INTERLINK COMPUTER SCIENCES INC Annual Report (10-K) ITEM 1. BUSINESS

... a software suite that extends **multi-protocol** networking for MVS mainframes. ... and routing changes by quickly **re-establishing** failed connections. ...
sec.edgar-online.com/1997/09/29/16/0000950005-97-000789/Section2.asp - 114k - [Cached](#) - [Similar pages](#)

[PDF] [NRIC VII FG2B Cyber Security BPs 11-03-2004 - final-white.xls](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

dynamic port allocation protocols such as Remote Procedure Calls (**RPC**) and Continue recovery by **re-establishing** new passwords, reloading ...
www.nric.org/meetings/docs/meeting_20041206/NRICVII_FG2B_December2004_BPs_Appendices.pdf - [Similar pages](#)

[PDF] [Getting Started with Progress SonicMQ V7.5](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

connection for exceptions, and **re-establishing** the connection if it is dropped. Enables acceptors for simultaneous **multi-protocol** support for ...
www.sonicsoftware.com/products/documentation/docs/mq_getstart.pdf - [Similar pages](#)

[Glossary](#)

It is responsible for **establishing** and maintaining the connection between the provided by the Oracle **Multi-Protocol** Interchange with SQL*Net version 2. ...
www.lc.leidenuniv.nl/awcourse/oracle/network.920/a96580/glossary.htm - 94k - [Cached](#) - [Similar pages](#)

Cover Pages: XML Articles and Papers February 2004

In the **RPC** style of Web services, this is usually a specialized XML format And we're **establishing** a global support network made of small companies, ...
xml.coverpages.org/xmlPapers200402.html - 232k - [Cached](#) - [Similar pages](#)

[doc] [16 Glossary](#)

File Format: Microsoft Word - [View as HTML](#)

certification authority (CA) An entity responsible for **establishing** and vouching for the ... the network, **reestablishing** information about preferred routes. ...

<http://www.google.com/search?hl=en&rls=GGLD%2CGGLD%3A2004-30%2CGGLD%3Aen&q=RPC+...> 6/11/2007

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 11 - 20 of about 106 for **RPC and establishing and re-establishing and multi-protocol**. (0.09 seconds)

[Five components to a successful location recording & much more ...](#)

MPLS **multiprotocol** label switching MPP massively parallel processor by buffering electrical noise and **re-establishing** the neutral-to-ground bond. ... www.gearsutz.com/.../947-five-components-successful-location-recording-much-more-beginners-guide.html - 174k - [Cached](#) - [Similar pages](#)

[\[PDF\] Understanding Code Mobility](#)

File Format: PDF/Adobe Acrobat
and **RPC** [15] are compared to the Echo distributed algo- rithms [16], to applications like **re-establishing** new bindings, or even migrating some re- ... ieeexplore.ieee.org/iel4/32/15047/00685258.pdf?isNumber=15047&arNumber=00685258&isnumber=15047... - [Similar pages](#)

[\[PDF\] Convergence Of Telecommunications And Computing To Networking ...](#)

File Format: PDF/Adobe Acrobat
failures without **reestablishing** end-to-end VC's. The IP ... assigns tags to **multiprotocol** frames: data units carry a fixed-length label, namely, the tag, ... ieeexplore.ieee.org/iel3/5/14184/00650174.pdf?arnumber=650174 - [Similar pages](#)
[[More results from ieeexplore.ieee.org](#)]

[Understanding Code Mobility](#)

This may involve voiding bindings to resources, **re-establishing** new bindings As an example, in this scenario a **multiprotocol** router could download on ... doi.ieeecomputersociety.org/10.1109/32.685258 - [Similar pages](#)

[\[PDF\] Sun StorEdge 5210 NAS Appliance Administration Guide](#)

File Format: PDF/Adobe Acrobat
Enter the secure **RPC** password for the NIS+ server. Press Enter. **re-establishing** a mirror. breaking the mirror. GUI 111. telnet 188 ... docs-pdf.sun.com/819-5376-10/819-5376-10.pdf - [Similar pages](#)

[ATM Bibliographies - 1500 + links and ATM article references](#)

Abstract: This memo describes a mechanism for **establishing** a switched path with guaranteed Quality of Service for RSVP [1] flows in a **MultiProtocol Label** ... www.infosyssec.net/infosyssec/atmbib1.htm - 356k - [Cached](#) - [Similar pages](#)

[\[PDF\] GETTING STARTED WITH SonicMQ V5](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Provides simultaneous **multi-protocol** support for TCP and HTTP connection for exceptions, and **re-establishing** the connection if it has been dropped. ... j2ee-wg.web.cern.ch/j2ee-wg/SonicMQ50/sonicmq_docs/getstart.pdf - [Similar pages](#)

[\[PDF\] Sun StorEdge 5310 NAS Appliance Software Installation ...](#)

File Format: PDF/Adobe Acrobat
Re-establishing a Mirror Connection. This procedure describes how to re-establish a Enter the secure **RPC** password for the NIS+ server. Press Enter. ... www.sun.com/products-n-solutions/hardware/docs/pdf/819-0879-12.pdf - [Similar pages](#)

[\[PDF\] Sun StorEdge 5310 NAS Appliance and Gateway System Administration ...](#)

File Format: PDF/Adobe Acrobat
5310 Gateway System servers are designed to reside in a **multiprotocol** environment **re-establishing** a mirror. breaking the mirror. GUI 123. telnet 221 ... www.sun.com/products-n-solutions/hardware/docs/pdf/819-3238-11.pdf - [Similar pages](#)

[\[PS\] Understanding Code Mobility](#)

File Format: Adobe PostScript - [View as Text](#)
resources, **re-establishing** new bindings, or even migrating. some resources to the destination **multiprotocol** router could download on demand the code ...